



SAFARI SOLAR-LIGHT

INDEPENDENT LIGHT
ANYWHERE AND
AT ANY TIME



Safari_Solar_Light_EN_V5.ppp



Safari-Solar-Lamp

- Made of aluminum of aerospace quality and more sustainable.
- The light and power bank charger in one Unit.
- Powered also by integrated Solar-Panel.
- Exit, charge your cell phone during ignition.
- Four modes: High-Low-RGB-off
- Applicable to various environments.
- Smart Quick Charger Power Bank

Specification

Lumen: 350LM (MAX)

Power: 3.5W (MAX)

Solar-Panel 5,5V / 0,85W

Charging time: 7hrs

Working time: approx. 100hrs

Light Source: White LEDs, 5700k

Brightness: 20%, 50%, 100%, Flash 15%

CRI: Ra>80, Beam angle: 140°

Lifetime: 36.000hrs (500 times charge)

Size: L127 mm × W80mm × H33mm

Material: Aluminum, ABS, PMMA

Weight: 390g

Operation Temperature: -10 to +50



- A** Connector to Charger
- B** charging indicator
- C** USB Output
- D** Switch
- E** Holes for fastening rope

KRENTZEL GMBH

Headquarter

Development, Office

Seeberger Landstrasse 103

D-28865 Lilienthal

Germany

Tel: 0049-4298-93922-8

Fax: 0049-4298-93922-9

Mobil: 0049-174-9613186

Mail: ENERGIE@KRENTZEL.NET

Web: KRENTZEL.NET

Contact

